



# MTB AND ROAD HYDRAULIC DISC BRAKE LEVER AND CALIPER COMPATIBILITY

Use the chart to determine compatible hydraulic disc brake lever and caliper combinations.

## Disc Brake Caliper

### Disc Brake Lever

		Level					G2				CODE		DB8	eTap AXS			eTap 11 Speed	S-900 Aero	HydroR
		Ult	TLM	TL	T	Base	Ult	RSC	RS	R	RSC	R		RED	FORCE	RIVAL	RED	S-900	HydroR
		Level	Level	Level	Level	Level	Level	Level	Level	Level	Level	Level	Level	Level	Level	Level	Level	Level	Level
Level	ULT	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	TLM	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	TL	Yellow	Yellow	Green	Green	Green	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	T	Yellow	Yellow	Green	Green	Green	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	Base	Yellow	Yellow	Green	Green	Green	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
G2	ULT	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	RSC	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	RS	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	R	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
CODE	RSC	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Orange	Orange	Orange	Orange	Orange	Orange	Orange
	R	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Orange	Orange	Orange	Orange	Orange	Orange	Orange
DB8		Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Green	Orange	Orange	Orange	Orange	Orange	Orange
eTap AXS	RED	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	Force	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	Rival	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
eTap 11 Speed	RED	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
S-900	S-900 Aero	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
HydroR	HydroR	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Green

### NOTES

- Some levers or calipers require a banjo to be fixed on one end of the hydraulic line. Consult the SRAM Spare Parts Catalog to make sure you have the proper hydraulic hose line.
- Identify the caliper mounting type, fork and frame standard, rotor size, and proper mounting hardware before proceeding with installation. Consult the [MTB and Road Disc Brake Caliper Specifications](http://www.sram.com/service) on [www.sram.com/service](http://www.sram.com/service).
- HydroR refers to mechanical shifting HRD brake systems such as S-700, RED 22, Force 22, etc.

### LEGEND

Compatible; performs as designed.

Compatible; performance may vary.

**⚠ WARNING - CRASH HAZARD**

Not compatible; do not use this combination.

# HYDRAULISCHE SCHEIBENBREMSE FÜR MTB UND RENNÄDER

## KOMPATIBILITÄT VON BREMSHEBELN UND BREMSÄTTELN

Verwenden Sie die nachstehende Tabelle, um kompatible Kombinationen aus hydraulischen Scheibenbremshebeln und -bremsätteln zu bestimmen.

### Scheibenbremsattel

Scheibenbremshebel

		Level					G2				CODE		DB8	eTap AXS			eTap 11 Speed	S-900 Aero	HydroR
		Ult	TLM	TL	T	Base	Ult	RSC	RS	R	RSC	R		RED	FORCE	RIVAL	RED	S-900	HydroR
Level	ULT	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	TLM	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	TL	Yellow	Yellow	Green	Green	Green	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	T	Yellow	Yellow	Green	Green	Green	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	Base	Yellow	Yellow	Green	Green	Green	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
G2	ULT	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	RSC	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	RS	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	R	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
CODE	RSC	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Orange	Orange	Orange	Orange	Orange	Orange	Orange
	R	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Orange	Orange	Orange	Orange	Orange	Orange	Orange
DB8		Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Green	Orange	Orange	Orange	Orange	Orange	Orange
eTap AXS	RED	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	Force	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	Rival	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
eTap 11 Speed	RED	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
S-900	S-900 Aero	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
HydroR	HydroR	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Green

#### HINWEISE

- Bestimmte Bremshebel oder Bremsättel erfordern die Anbringung einer Leitungsaufnahme an einem Ende der Hydraulikleitung. Sehen Sie im SRAM-Ersatzteilkatalog nach, um sicherzustellen, dass Sie über die richtige Hydraulikleitung verfügen.
- Bestimmen Sie den Bremsattelbefestigungstyp, den Gabel- und Rahmenstandard, die Brems Scheibengröße und die richtigen Befestigungsteile, bevor Sie mit der Installation fortfahren. Lesen Sie in den [Montagehinweisen für MTB- und Rennrad-Scheibenbremsättel](#) auf [www.sram.com/service](http://www.sram.com/service) nach.
- HydroR bezieht sich auf mechanisch betätigte HRD-Bremssysteme wie S-700, RED 22, Force 22 usw.

#### LEGENDE

Kompatibel; Leistung wie vorgesehen.

Kompatibel; Leistung kann abweichen.

#### **WARNUNG – UNFALLGEFAHR**

Nicht kompatibel, diese Kombination nicht verwenden.

# FRENO DE DISCO HIDRÁULICO PARA MTB Y CARRETERA

## COMPATIBILIDAD DE MANETAS Y PINZAS DE FRENO

Utilice la tabla para determinar las combinaciones de maneta y pinza de freno de disco hidráulico compatibles.

### Pinza de freno de disco

Maneta de freno de disco

		Level					G2				CODE		DB8	eTap AXS			eTap 11 Speed	S-900 Aero	HydroR
		Ult	TLM	TL	T	Base	Ult	RSC	RS	R	RSC	R		RED	FORCE	RIVAL	RED	S-900	HydroR
		Level	ULT	TLM	TL	T	Base	ULT	RSC	RS	R	RSC	R	RED	FORCE	RIVAL	RED	S-900	HydroR
Level	ULT	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	TLM	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	TL	Yellow	Yellow	Green	Green	Green	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	T	Yellow	Yellow	Green	Green	Green	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	Base	Yellow	Yellow	Green	Green	Green	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
G2	ULT	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	RSC	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	RS	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	R	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
CODE	RSC	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Orange	Orange	Orange	Orange	Orange	Orange	Orange
	R	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Orange	Orange	Orange	Orange	Orange	Orange	Orange
DB8		Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Green	Orange	Orange	Orange	Orange	Orange	Orange
eTap AXS	RED	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	Force	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	Rival	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
eTap 11 Speed	RED	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
S-900	S-900 Aero	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
HydroR	HydroR	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Green

#### NOTAS

- Algunas manetas o pinzas de freno requieren fijar un perno de banjo en un extremo de la línea hidráulica. Consulte el catálogo de piezas de repuesto de SRAM para asegurarse de contar con la línea de manguito hidráulico adecuada.
- Identifique el tipo de montaje de la pinza de freno, el estándar de la horquilla y el cuadro, el tamaño del rotor y la tornillería de montaje adecuada antes de proceder a la instalación. Consulte [Especificaciones de la pinza de freno de disco de MTB y carretera](#) en [www.sram.com/service](http://www.sram.com/service).
- HydroR se refiere a los sistemas de freno HRD de cambio mecánico, como S-700, RED 22, Force 22, etc.

#### LEYENDA

Compatible; funciona según lo previsto.

Compatible; los resultados pueden variar.

**⚠ ADVERTENCIA - RIESGO DE ACCIDENTE**

No es compatible; no utilice esta combinación.

# FREIN À DISQUE HYDRAULIQUE VTT ET ROUTE

## COMPATIBILITÉ ENTRE LEVIER ET ÉTRIER

Ce tableau indique les compatibilités des différentes associations possibles entre les étriers et les leviers de frein à disque hydraulique.

### Étrier de frein à disque

Levier de frein à disque

		Level					G2				CODE		DB8	eTap AXS			eTap 11 Speed	S-900 Aero	HydroR	
		Ult	TLM	TL	T	Base	Ult	RSC	RS	R	RSC	R		RED	FORCE	RIVAL	RED	S-900	HydroR	
		Level		G2				CODE		DB8	eTap AXS			eTap 11 Speed	S-900 Aero	HydroR				
Level	ULT	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	TLM	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	TL	Yellow	Yellow	Green	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	T	Yellow	Yellow	Green	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	Base	Yellow	Yellow	Green	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
G2	ULT	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	RSC	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	RS	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
	R	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Green	Green	Yellow	Yellow	Orange	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange
CODE	RSC	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange
	R	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange
DB8		Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Green	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange
eTap AXS	RED	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	Force	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
	Rival	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
eTap 11 Speed	RED	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
S-900	S-900 Aero	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Orange	Orange	Orange	Green	Green	Green	Green	Green	Orange
HydroR	HydroR	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Orange	Green

#### REMARQUES

- Certains leviers ou étriers nécessitent un raccord banjo à fixer sur l'une des extrémités de la durite hydraulique. Pour savoir si vous disposez de la durite hydraulique qui convient, consultez le Catalogue des pièces détachées SRAM.
- Avant de commencer l'installation, vérifiez le type de fixation de l'étrier, la référence de la fourche et du cadre et la taille du disque de frein et assurez-vous de disposer des éléments de fixation appropriés. Consultez les [Caractéristiques des étriers de frein à disque pour VTT et route](#) sur le site [www.sram.com/service](http://www.sram.com/service).
- HydroR désigne les systèmes frein HRD-dérailleur mécanique tels que les modèles S-700, RED 22, Force 22, etc.

#### LÉGENDE

Compatible : fonctionne comme prévu.

Compatible : les performances peuvent varier.

#### **⚠ AVERTISSEMENT - RISQUE DE CHUTE**

Non compatible : n'utilisez pas cette association.